



LÜXBAUM
WINDOWS + DOORS



PURSUING PERFECTION



EXCEEDING EXPECTATIONS

Craftsmanship is a journey rather than a destination. We create luxury impact resistant windows and doors that are designed to stand the test of time. Singularly crafted from one of the most miraculous timbers found on earth, we offer a line of products unlike any other.

Luxbaum defines a tier that exceeds expectations.



A LIVING LEGACY

Our story is one of a commitment to perfection. Luxbaum's founder Laszlo Wagner studied architecture at the University of Vienna and then dedicated his career to building high-end residential construction projects in Toronto and the hurricane-prone Palm Beaches. The intriguing discovery of merbau with its convincing physical properties inspired him to develop the finest line of impact resistant windows and doors ever made.






MERBAU

A remarkable discovery

- Merbau is nearly twice the strength of Honduran mahogany and is consequently more durable
- Merbau is more termite-resistant than Honduran mahogany
- Merbau is more water-resistant than teak
- Merbau is also flame-retardant

Merbau's strength allows for great design flexibility, which enables us to create remarkably large wooden luxury windows and doors with extremely thin profiles. We build the largest hurricane-resistant windows and doors anywhere – in every category. Of course, every single window and door Luxbaum creates, passes Florida Product Approval testing, which requires home construction products to go through a series of rigorous hurricane tests designed to simulate intense storm-like conditions.

As a result - what makes it hurricane resistant - also makes it naturally burglar-proof. As such, Luxbaum is uniquely positioned to provide windows and doors for high-end construction needs.



HARDWARE

Superior components and working systems

We use only the finest mechanical components in our fabrication process. That includes true multi-point locking systems in our doors, casement windows and folding door units — with a minimum of five and maximum of 15 locking points, depending on the size of the unit.

Our folding door products also utilize a proprietary system that eliminates the need for surface mounted flush bolts. This innovative design, combined with our attention to finest detail in our impact resistant folding doors, earned Luxbaum the 2009 Crystal Achievement Award from Window and Door magazine.

The double-hung and single-hung windows we design utilize a true weight, chain, and pulley system in the classic, elegant North American tradition. The lift-and-slide system doubles the operating carriage hardware, allowing 1000-pound panels to glide easily with the simple push of a finger. Our sash design features a dual-gasket system of uninterrupted gaskets that seal the airspace between the sash and jamb, protecting all hardware components from exposure to the weather.



FABRICATION

How it all comes together

Luxbaum strives for best practices in all aspects of fabrication, with the goal of providing the highest standard of excellence. The joinery of the sashes and the jambs employs coping and doweling – certified by the ift Rosenheim GmbH to be the strongest possible method of wood joinery.

Our joinery method exceeds the reference standard for quality and consistency of construction.



GLAZING

Quality and durability where it matter most.

Glazing takes place at Luxbaum's headquarters in West Palm Beach, where we employ a method called wet glazing. The triple wet glazing process we use involves setting the glass into a three- sided bed of sealant that seals both its faces and edge to the sash. This completely encapsulates the glass into the wood geometry.

We also utilize an SGP interlayer in our impact-resistant products. Although more expensive, SGP glass is hydrophobic, meaning it repels water. The more commonly used hydrophilic PVB layer actually attracts water, which could lead to clouding or delamination, and eventually require replacement. Luxbaum's glass choice and glazing method align with the company's mission: to create the best possible product.



FINISHING


Perfection right to the finish

Luxbaum pre-finishes all products in the factory using only the finest environmentally friendly AkzoNobel Joinery Wood Coatings. Our five-coat process offers unmatched durability and lasting beauty for all our products, exceeding the performance of a three-coat finish, the current industry standard.

Ultraviolet degradation of wood finishes is a reality, and Luxbaum plans accordingly. A south-facing home that receives a lot of direct sunlight may lose 10 to 15 microns of finish annually due to U.V. radiation.

Luxbaum's industry-leading 240-micron finish means our products will perform longer than those, who use only a 140-micron finish. The superior appearance of this finish is further enhanced through a hand sanding by our carpenters between each of the five coatings.





INSTALLATION

A seamless experience

Luxbaum's quality commitment doesn't stop at the factory doors, as we strive to provide our customers with a seamless delivery and installation experience.

With this in mind, Luxbaum's units arrive at job sites in their own individual crates. This individual packaging ensures proper handling and delivery of our fine wood products. Custom made accessories such as brickmold, casings, or jamb extensions are also packed appropriately in the same crate — and an advanced shop drawing of each unit is included in its crate. These drawings do not only show a typical graphic rendering of the products, Luxbaum's advanced shop drawings integrate both architectural and engineering elements into the installation equation. We consider ourselves part of your design team, and as such provide you with the advanced specifications you need to facilitate a smooth installation of our windows and doors.

Any installation challenges on-site are also mitigated by the strict quality control we engineer into every unit. All units are pre-drilled for fasteners, with finish applied to the drilled penetrations to protect the beautiful surface of our products. Rabbets are cut into the interior side of the jamb, the location of which being at the architect's discretion, so they can accept trim, casing or jamb extensions. Brickmold is handled in the same fashion, and pops into place with biscuit joints. Finally, we engineer a small piece of trim that covers the mounting fasteners in the jambs. That means there will be only beautiful wood showing, instead of steel screws in the frame when the casement window is opened — as expected from a fine piece of furniture.


This attention to detail is yet another criteria that makes Luxbaum unique in the market and allows ease of installation for a perfect end result.






LÜXBAUM
WINDOWS + DOORS


PRODUCT LINE




CASEMENT WINDOW




FIXED CASEMENT WINDOW




DOUBLE HUNG WINDOW





FRENCH DOOR




FOLDING DOOR




LIFT + SLIDE DOOR



SIGHTLINE CORRELATION



CUSTOM ELEVATIONS



DIRECT GLAZED





MAXIMUM DIMENSIONS

CASEMENT WINDOWS

ImpactResistant Casement Windows.

Our line of custom-built casement windows offers you a highly flexible design solution. Crafted from merbau, one of the world's most durable and visually stunning species of wood, our casement windows are architecturally coordinated with our entire product line for a consistent appearance — while still allowing a great variety of profile designs and sizes:



- Three Style Widths
- Three Style Profiles
- Fourteen Muntin Profiles



FIXED WINDOWS

Impact Resistant Fixed Windows



As with the rest of the Luxbaum product line, our fixed window profiles are architecturally coordinated for a consistent appearance. A fixed window can share the same profile as the operable windows and doors, creating a visually appealing set of sight lines across an elevation.



DOUBLE HUNG WINDOWS

Impact Resistant Double Hung Windows

Created in the classic European tradition that features a traditional weight, chain and pulley system, with a variety of finishes available for each selection, our double-hung window series is an elegant offering that harkens back to the very origins of fenestration. As a result of their fine design and engineering, our double-hung windows provide some of the slimmest interior profiles along with the greatest glass-to-frame ratios available.





FRENCH DOORS

Impact Resistant French Doors

When it comes to making a statement via an architectural element, nothing quite matches up to the grace and style of a 12-foot-high, Luxbaum-built French door. By definition, French doors usually come in pairs, with glass panes that extend most of their length to let in a lot of light.

So, the large-sized doors we offer let you design with an emphasis on light in a variety of architectural solutions – design flexibility:


- Three Style Widths
- Three Style Profiles
- Fourteen Muntin Profiles



FOLDING DOORS

Impact Resistant Folding Doors



Luxbaum's award-winning folding door system utilizes an internal, hidden locking system that secures the doors in place. This clean approach to design means the beauty of our doors isn't marred by unsightly "shoot bolts" on the exterior of sashes that can give a cluttered look. Our folding doors also feature a "disappearing corner" function that totally opens a room to the beauty and view expected by the most discriminating clients.



LIFT AND SLIDE DOORS

Impact Resistant Lift and Slide Doors



The largest hurricane-tested lift-and-slide door on the market is something that must be seen in person to truly appreciate. At over 13-feet high, with up to eight panels that can pocket into a wall, it is an achievement of design and engineering that immediately becomes the showpiece of any structure. Luxbaum's lift-and-slide doors make a bold statement.




DIRECT GLAZED WINDOWS

Impact Resistant Direct Glazed Windows

By eliminating the sash entirely, and maximizing the glass surface, our Direct Glazed Windows allows a beautifully clear, unobstructed view. Perfect to bring the outdoor view to your home. These non-operational windows feature a low profile frame that can go up to 6'-8" x 11'-6" and a unlimited number of modules horizontally.





Let us build yours today.

Peter Stalder, Installation Manager; David Vander Wiele, Senior Installation Manager;
Judy Wilber, Project Manager; Andrea Mendoza, CAD Manager



LUXBAUM
WINDOWS + DOORS

1.561.684.1500 | F: 1.561.689.1506

1501 Northpoint Parkway, Ste 101, West Palm Beach, FL 33407, USA



www.luxbaum.com | info@luxbaum.com



LÜXBAUM
WINDOWS + DOORS



ARCHITECT'S CATALOG
2019





CASEMENT WINDOW

1

FIXED CASEMENT WINDOW

2





DOUBLE HUNG WINDOW

3

FRENCH DOOR

4



FOLDING DOOR

5

LIFT + SLIDE DOOR

6




DIRECT GLAZED

7

MAXIMUM DIMENSIONS

8




SIGHTLINE CORRELATION

9

CUSTOM ELEVATIONS

10



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



CASEMENT WINDOW ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


CASEMENT WINDOWS

page 1


Scale: 1-1/2" = 1'-0"




WIDEST




1C | 1D




1E | 1F




	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
1120	#14 X 3 1/4" Wood Screw SS
112D	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip



CAS-TRANSOM




CAS-MEETING STYLE




2A

WIDE


2B



2C




2D




2E

2F

2G



2H



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

CASEMENT WINDOWS


page 2

Scale: 1-1/2" = 1'-0"










3A TALLEST



CAS-SILL




CAS-HINGE



#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112D	#14 X 3 1/4" Wood Screw SS
112D	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 3-1/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip





CAS-HANDLE




4A WIDEST + TRANSOM 4B

4C

4D



CAS-TRANSOM







4E


4F

4G

4H



CAS-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


CASEMENT WINDOWS

page 3

Scale: 1-1/2" = 1'-0"




5A WIDE + TRANSOM 5B




5C




④	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112C	#14 X 3 1/4" Wood Screw SS
112D	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS Hex
116a	Tapcon 1/4" x 3 1/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116D	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip




5E 5F




10 of 10




CAS-HANDLE




6A TALLEST + TRANSOM 6B




6C




6D




CAS-TRANSOM




6E




6F




6G



6H



CAS-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
CASEMENT WINDOWS

page 4


102A




101A




101B




101C




103A




103B




103C




104A




104B




104C




105A



105B



105C



Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CASEMENT WINDOWS

page 5





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CASEMENT WINDOWS

page 6





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

CASEMENT WINDOWS

COMPUTATION TOOL BASED ON 4"-2" x 8'-2" WINDOW

page 7





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506






1501 NORTHPOINT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



ARCHITECTS' CATALOG

CASEMENT WINDOWS

page 8



DESCRIPTION
1 Drywall
2 Framing
3 Shim Shingles Max. 1/4"
4 Casing
5 Jamb Header
6 Jamb Sill
7 Jamb Leg
8 Jamb Extension
9 Pro-R Guard Fast Flash
10 Pro-R Guard Air Dam
11 Glasstop
12 Impact Glass / Insulated Glass
13 Stucco
14 Sash
15 Brickmold
16 Buck / Framing
17 Glazing - Dow 995
18 FFI - Operating Hardware
19 'Centor' - Track
20 'Centor' - Hardware
21 Gasket / Weather Seal
22 Operating Handle
23 Fillet
24 'Centor' Bug Screen System
25 Threshold
100 23 Gauge Pin Nail 1"
100a 23 Gauge Pin Nail 1-3/8"
100b 23 Gauge Pin Nail 2"
100c 23 Gauge Pin Nail
108 #8 X 1 1/2" Wood Screw SS
112 #14 X 2 1/2" Wood Screw SS
112a #14 X 4" Wood Screw SS
112b #14 X 3 1/2" Wood Screw SS
112c #14 X 3 1/4" Wood Screw SS
112d #14 X 5 1/2" Wood Screw SS
112e #14 X 1 1/2" Wood Screw SS Pan Head
116 Tapcon 1/4" x 3 1/4" SS
116a Tapcon 1/4" x 1-3/4" SS Hex
116b Tapcon 1/4" x 2" SS
116c Tapcon 1/4" x 4" SS
116d Tapcon 1/4" x 3-3/4" SS philips
118 #8 X 1 1/2" Strap Screw SS
212 Strap 1-1/2" x 1-3/4" SS
213 Monarch Z Clip
ALL INSTALLATIONS TO BE CONDUCTED AS PER THE APPLICABLE FLSI APPROVALS



Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS

page 9







Casement Window




Single Casement Tallest
3'-3" x 12'-2"



Double Casement Tallest
6'-2" x 12'-2"



Single Casement with Transom
3'-3" x 18'-4"




Double Casement with Transom
6'-2" x 18'-4"

Scale: 1/4"=1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



FIXED CASEMENT WINDOW ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS


T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FIXED CASEMENT WINDOW

page 10



FIX-TRANSOM






8A

WIDE

8B

8C

8D






8E

8F

8G

8H



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506






LÜXBAUM
WINDOWS + DOORS


1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

FIXED CASEMENT WINDOW

page 11

Scale: 1-1/2" = 1'-0"	9A	TALLEST	9B	9C	9D		DESCRIPTION
 <p>FIX-HEADER</p>							1 Drywall 2 Framing 3 Shim Shingles Max. 1/4" 4 Casing 5 Jamb Header 6 Jamb Sill 7 Jamb Leg 8 Jamb Extension 9 Pro-R Guard Fast Flash 10 Pro-R Guard Air Dam 11 Glassstop 12 Impact Glass / Insulated Glass 13 Stucco 14 Sash 15 Brickmold 16 Buck / Framing 17 Glazing - Dow 995 18 'FFI' - Operating Hardware 19 'Centor' - Track 20 'Centor' - Hardware 21 Gasket / Weather Seal 22 Operating Handle 23 Fillet 24 'Centor' Bug Screen System 25 Threshold 100 23 Gauge Pin Nail 1" 100a 23 Gauge Pin Nail 1-3/8" 100b 23 Gauge Pin Nail 2" 100c 23 Gauge Pin Nail 108 #8 X 1 1/2" Wood Screw SS 112 #14 X 2 1/2" Wood Screw SS 112a #14 X 4" Wood Screw SS 112b #14 X 3 1/2" Wood Screw SS 112c #14 X 3 1/4" Wood Screw SS 112d #14 X 5 1/2" Wood Screw SS 112e #14 X 1 1/2" Wood Screw SS Pan Head 116 Tapcon 1/4" x 3 1/4" SS 116a Tapcon 1/4" x 1-3/4" SS Hex 116b Tapcon 1/4" x 2" SS 116c Tapcon 1/4" x 4" SS 116d Tapcon 1/4" x 3-3/4" SS philips 118 #8 X 1 1/2" Strap Screw SS 212 Strap 1-1/2" x 1-3/4" SS 213 Monarch Z Clip All installations to be executed as per the applicable fl. st. approvals
 <p>FIX-SILL</p>	9E		9F	9G	9H		
 <p>FIX-MEETING STYLE</p>							




10A WIDEST+TRANSOM 10B

10C

10D

FIX-TRANSOM



10E

10F

10G

10H

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506







1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


FIXED CASEMENT WINDOW

page 12

Scale: 1-1/2" = 1'-0"	11A	WIDE + TRANSOM	11B	11C	11D																																														
 <p>Fix-Header</p>						<table border="1"> <thead> <tr> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td>1 Drywall</td></tr> <tr><td>2 Framing</td></tr> <tr><td>3 Shim Shingles Max. 1/4"</td></tr> <tr><td>4 Casing</td></tr> <tr><td>5 Jamb Header</td></tr> <tr><td>6 Jamb Sill</td></tr> <tr><td>7 Jamb Leg</td></tr> <tr><td>8 Jamb Extension</td></tr> <tr><td>9 Pro-R Guard Fast Flash</td></tr> <tr><td>10 Pro-R Guard Air Dam</td></tr> <tr><td>11 Glassstop</td></tr> <tr><td>12 Impact Glass / Insulated Glass</td></tr> <tr><td>13 Stucco</td></tr> <tr><td>14 Sash</td></tr> <tr><td>15 Brickmold</td></tr> <tr><td>16 Buck / Framing</td></tr> <tr><td>17 Glazing - Dow 995</td></tr> <tr><td>18 'FFI' - Operating Hardware</td></tr> <tr><td>19 'Centor' - Track</td></tr> <tr><td>20 'Centor' - Hardware</td></tr> <tr><td>21 Gasket / Weather Seal</td></tr> <tr><td>22 Operating Handle</td></tr> <tr><td>23 Fillet</td></tr> <tr><td>24 'Centor' Bug Screen System</td></tr> <tr><td>25 Threshold</td></tr> <tr><td>100 23 Gauge Pin Nail 1"</td></tr> <tr><td>100a 23 Gauge Pin Nail 1-3/8"</td></tr> <tr><td>100b 23 Gauge Pin Nail 2"</td></tr> <tr><td>100 23 Gauge Pin Nail</td></tr> <tr><td>108 #8 X 1 1/2" Wood Screw SS</td></tr> <tr><td>112 #14 X 2 1/2" Wood Screw SS</td></tr> <tr><td>112a #14 X 4" Wood Screw SS</td></tr> <tr><td>112b #14 X 3 1/2" Wood Screw SS</td></tr> <tr><td>112c #14 X 3 1/4" Wood Screw SS</td></tr> <tr><td>112d #14 X 5 1/2" Wood Screw SS</td></tr> <tr><td>112e #14 X 1 1/2" Wood Screw SS Pan Head</td></tr> <tr><td>116 Tapcon 1/4" x 3 1/4" SS</td></tr> <tr><td>116a Tapcon 1/4" x 1-3/4" SS Hex</td></tr> <tr><td>116b Tapcon 1/4" x 2" SS</td></tr> <tr><td>116c Tapcon 1/4" x 4" SS</td></tr> <tr><td>116d Tapcon 1/4" x 3-3/4" SS philips</td></tr> <tr><td>118 #8 X 1 1/2" Strap Screw SS</td></tr> <tr><td>212 Strap 1-1/2" x 1-3/4" SS</td></tr> <tr><td>213 Monarch Z Clip</td></tr> </tbody> </table> <p>ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST. APPROVALS</p>	DESCRIPTION	1 Drywall	2 Framing	3 Shim Shingles Max. 1/4"	4 Casing	5 Jamb Header	6 Jamb Sill	7 Jamb Leg	8 Jamb Extension	9 Pro-R Guard Fast Flash	10 Pro-R Guard Air Dam	11 Glassstop	12 Impact Glass / Insulated Glass	13 Stucco	14 Sash	15 Brickmold	16 Buck / Framing	17 Glazing - Dow 995	18 'FFI' - Operating Hardware	19 'Centor' - Track	20 'Centor' - Hardware	21 Gasket / Weather Seal	22 Operating Handle	23 Fillet	24 'Centor' Bug Screen System	25 Threshold	100 23 Gauge Pin Nail 1"	100a 23 Gauge Pin Nail 1-3/8"	100b 23 Gauge Pin Nail 2"	100 23 Gauge Pin Nail	108 #8 X 1 1/2" Wood Screw SS	112 #14 X 2 1/2" Wood Screw SS	112a #14 X 4" Wood Screw SS	112b #14 X 3 1/2" Wood Screw SS	112c #14 X 3 1/4" Wood Screw SS	112d #14 X 5 1/2" Wood Screw SS	112e #14 X 1 1/2" Wood Screw SS Pan Head	116 Tapcon 1/4" x 3 1/4" SS	116a Tapcon 1/4" x 1-3/4" SS Hex	116b Tapcon 1/4" x 2" SS	116c Tapcon 1/4" x 4" SS	116d Tapcon 1/4" x 3-3/4" SS philips	118 #8 X 1 1/2" Strap Screw SS	212 Strap 1-1/2" x 1-3/4" SS	213 Monarch Z Clip
DESCRIPTION																																																			
1 Drywall																																																			
2 Framing																																																			
3 Shim Shingles Max. 1/4"																																																			
4 Casing																																																			
5 Jamb Header																																																			
6 Jamb Sill																																																			
7 Jamb Leg																																																			
8 Jamb Extension																																																			
9 Pro-R Guard Fast Flash																																																			
10 Pro-R Guard Air Dam																																																			
11 Glassstop																																																			
12 Impact Glass / Insulated Glass																																																			
13 Stucco																																																			
14 Sash																																																			
15 Brickmold																																																			
16 Buck / Framing																																																			
17 Glazing - Dow 995																																																			
18 'FFI' - Operating Hardware																																																			
19 'Centor' - Track																																																			
20 'Centor' - Hardware																																																			
21 Gasket / Weather Seal																																																			
22 Operating Handle																																																			
23 Fillet																																																			
24 'Centor' Bug Screen System																																																			
25 Threshold																																																			
100 23 Gauge Pin Nail 1"																																																			
100a 23 Gauge Pin Nail 1-3/8"																																																			
100b 23 Gauge Pin Nail 2"																																																			
100 23 Gauge Pin Nail																																																			
108 #8 X 1 1/2" Wood Screw SS																																																			
112 #14 X 2 1/2" Wood Screw SS																																																			
112a #14 X 4" Wood Screw SS																																																			
112b #14 X 3 1/2" Wood Screw SS																																																			
112c #14 X 3 1/4" Wood Screw SS																																																			
112d #14 X 5 1/2" Wood Screw SS																																																			
112e #14 X 1 1/2" Wood Screw SS Pan Head																																																			
116 Tapcon 1/4" x 3 1/4" SS																																																			
116a Tapcon 1/4" x 1-3/4" SS Hex																																																			
116b Tapcon 1/4" x 2" SS																																																			
116c Tapcon 1/4" x 4" SS																																																			
116d Tapcon 1/4" x 3-3/4" SS philips																																																			
118 #8 X 1 1/2" Strap Screw SS																																																			
212 Strap 1-1/2" x 1-3/4" SS																																																			
213 Monarch Z Clip																																																			
 <p>Fix-Sill</p>	11E		11F	11G	11H																																														
 <p>Fix-Meeting Style</p>																																																			




FIX-TRANSOM




12A TALLEST+TRANSOM 12B



12C




12D




An architectural drawing of a window. The window features a tall, arched top half and a lower section divided into two panes by a vertical mullion. The entire window is enclosed within a decorative frame consisting of multiple concentric arches and straight lines. Small diagonal hatching lines are present at the intersections of the frame lines.


12E




12F



12G



12H



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
FIXED CASEMENT WINDOW

page 13


101A




101B




101C




102A




102B




102C




103A




103B




103C




104A



104B



104C



Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
FIXED CASEMENT WINDOW

page 14





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506





1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

FIXED CASEMENT WINDOW

page 15





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FIXED CASEMENT WINDOW

COMPUTATION TOOL BASED ON 4"-2" x 8'-2" WINDOW

page 16





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506






1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FIXED CASEMENT WINDOW

page 17



DESCRIPTION
1 Drywall
2 Framing
3 Shim Shingles Max. 1/4"
4 Casing
5 Jamb Header
6 Jamb Sill
7 Jamb Leg
8 Jamb Extension
9 Pro-R Guard Fast Flash
10 Pro-R Guard Air Dam
11 Glassstop
12 Impact Glass / Insulated Glass
13 Stucco
14 Sash
15 Brickmold
16 Buck / Framing
17 Glazing - Dow 995
18 'FFI' - Operating Hardware
19 'Centor' - Track
20 'Centor' - Hardware
21 Gasket / Weather Seal
22 Operating Handle
23 Fillet
24 'Centor' Bug Screen System
25 Threshold
100 23 Gauge Pin Nail 1"
100a 23 Gauge Pin Nail 1-3/8"
100b 23 Gauge Pin Nail 2"
100c 23 Gauge Pin Nail
108 #8 X 1 1/2" Wood Screw SS
112 #14 X 2 1/2" Wood Screw SS
112a #14 X 4" Wood Screw SS
112b #14 X 3 1/2" Wood Screw SS
112c #14 X 3 1/4" Wood Screw SS
112d #14 X 5 1/2" Wood Screw SS
112e #14 X 1 1/2" Wood Screw SS Pan Head
116 Tapcon 1/4" x 3 1/4" SS
116a Tapcon 1/4" x 3 1/4" SS Hex
116b Tapcon 1/4" x 2" SS
116c Tapcon 1/4" x 4" SS
116d Tapcon 1/4" x 3-3/4" SS philips
118 #8 X 1 1/2" Strap Screw SS
212 Strap 1-1/2" x 1-3/4" SS
213 Monarch Z Clip
ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FLST APPROVALS




Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA




Fixed Casement Window




Single Fixed Casement Widest
4'-2" x 8'-2"




Double Fixed Casement Widest
7'-2" x 6'-8"




Single Fixed Casement Wide
3'-8" x 10'-2"




Double Fixed Casement Wide
7'-3" x 10'-3"




Fixed Casement Window




Single Fixed Casement Tallest
3'-3" x 12'-2"



Double Fixed Casement Tallest
6'-2" x 12'-2"



Single Fixed Casement with Transom
3'-3" x 18'-4"




Double Fixed Casement with Transom
6'-2" x 18'-4"

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



DOUBLE HUNG WINDOW ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506


1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
DOUBLE HUNG WINDOW


page 19

Scale: 1-1/2"=1'-0"


DHW-HEADER




DHW-MEETING STYLE




DHW-SILL



13A 13B




14A 14B





#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	'Centor' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST APPROVALS


DHW-JAMB LEG





13C 13D




DHW-GANGED



14C 14D



DHW-TRANSOM



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

DOUBLE HUNG WINDOW



page 20

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	'Centor' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

Scale: 1-1/2"=1'-0"



15A

DHW-HEADER




16A

DHW-MEETING STYLE





DHW-SILL





DHW-JAMB LEG

15B




DHW-GANGED

16B



DHW-TRANSOM




LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
DOUBLE HUNG WINDOW

page 21






LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
DOUBLE HUNG WINDOW

page 22





Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



ARCHITECTS' CATALOG
DOUBLE HUNG WINDOW

page 23



#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST APPROVALS



Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



ARCHITECTS' CATALOG
DOUBLE HUNG WINDOW

page 24



#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST APPROVALS





Scale: 3"=1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA






Double Hung Window



Double- or Single-Hung Window with Transom
5'-2" x 14'-0"




Triple Double- or Single-Hung Window with Transom
15'-7" x 14'-0"

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



FRENCH DOOR
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

FRENCH DOORS

page 26


Scale: 1-1/2"=1'-0"




#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	Centor' - Track
20	Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE PLST APPROVALS


FRE-HANDLE



18A TALLEST 18B




18C




18D


FRE-TRANSOM



18E




18G



18H

FRE-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



LUXBAUM
WINDOWS + DOORS

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

FRENCH DOORS

page 27

Scale: 1-1/2"=1'-0"

19A WIDE+TRANSOM 19B

19C

19D


19E

19F


19G

19H


FRE-HEADER



FRE-SILL




FRE-HINGE




#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	Centor' - Track
20	Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE PLST APPROVALS


FRE-HANDLE




20A TALLEST+TRANSOM 20B




20B




20C




20D




FRE-TRANSOM




20E




20F




20G



20H



FRE-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




LUXBAUM
WINDOWS + DOORS

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
FRENCH DOORS

page 28


106A




105A




105B




105C




107A




107B




107C




108A




108B




108C




109A



109B



109C



Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
FRENCH DOORS

page 29





Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
FRENCH DOORS

page 30





Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FRENCH DOORS

COMPUTATION TOOL BASED ON 6"-2" x 12'-2" DOOR

page 31





Scale: 3"=1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506







1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG



FRENCH DOORS

page 32



#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glasstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	Centor' - Track
20	Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE PLST APPROVALS



Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS


page 33




French Doors




Single French Doors Wide
3'-8" x 10'-2"




Double French Doors Wide
7'-3" x 10'-3"




Single French Doors Tallest
3'-3" x 12'-2"




Double French Doors Tallest
6'-2" x 12'-2"



French Doors



Single French Doors with Transom
3'-3" x 18'-4"



Double French Doors with Transom
6'-2" x 18'-4"

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
NOTES


page 34

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



LUXBAUM
WINDOWS + DOORS

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



FOLDING DOOR
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FOLDING DOORS


page 35

Scale: 1-1/2" = 1'-0"


FOL-HEADER




FOL-SILL





21A 21B



22A 22B




23A 23B





#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112D	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip



ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST APPROVALS




24A 24B



25A 25B



FOL-CORNER MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



LUXBAUM
WINDOWS + DOORS

1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

FOLDING DOORS


page 36

Scale: 1-1/2" = 1'-0"


FOL-HEADER



26A




26B




①	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip


FOL-SILL




27A




27B




28A





28B





ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE FL ST APPROVALS




29A



29B



FOL-CORNER MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



ARCHITECTS' CATALOG

FOLDING DOORS

page 37

Scale: 1-1/2"=1'-0"



30A





#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip




All installations to be executed as per the applicable fl. st. approvals

31A








32A



FOL-MEETING STYLE



FOL-CORNER MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506


LUXBAUM
WINDOWS + DOORS


1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

FOLDING DOORS

page 38






LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
FOLDING DOORS

page 39





LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506





1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG




FOLDING DOORS

page 40



#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	'Centor' - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112D	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

ALL INSTALLATIONS TO BE EXECUTED AS PER THE APPLICABLE D.L.S.T APPROVALS



Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506


LUXBAUM
WINDOWS + DOORS


1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS

page 41




Folding Doors




Outside of Miami-Dade
Unlimited Number of Panels
x 10'-2"

Six-Panel Folding Door
18'-5" x 10'-2"

Miami-Dade Maximum
Nine Panels x 10'-2"



Folding Doors



Outside of Miami-Dade
Unlimited Number of Panels
 $\times 10\text{'-2"}$

Folding Doors
Disappearing Corner


Miami-Dade Maximum
Nine + Nine Panels
 $\times 10\text{'-2"}$

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPOINT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



LIFT + SLIDE DOOR
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com


www.luxbaum.com

LUXBAUM WINDOWS + DOORS


T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA


L+S-POCKET



L+S-JAMB LEG



L+S-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 42

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	Centor' - Track
20	Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

Scale: 1-1/2"=1'-0"

(1-Track)

33A-SINGLE DOOR

L+S-HEADER

33A-DOUBLE DOOR

L+S-SILL

All instructions to be conducted as per the applicable FLS, ST approvals.

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 43

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

Scale: 1-1/2"=1'-0" (2-Track) 34A

L+S-HEADER



35A

L+S-SILL


33B

L+S-JAMB LEG


33C




L+S-JAMB LEG



L+S-INTERLOCK STYLE



L+S-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 44

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	[Monarch Z Clip]

Scale: 1-0"=1'-0" (3-Track) 34B L+S-HEADER

L+S-SILL

L+S-POCKET



POCKET

POCKET

ALL INSTALLATIONS TO BE DONE IN ACCORDANCE WITH APPROPRIATE LOCAL APPROVALS



37A

L+S-JAMB LEG




38A


L+S-JAMB LEG



L+S-INTERLOCK STYLE



L+S-MEETING STYLE



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG

LIFT + SLIDE DOORS

page 45

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Brickmold
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	'Centor' - Track
20	'Centor' - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	'Centor' Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100c	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	[Monarch Z Clip]

Scale: 1'-0"=1'-0" (4-Track) 34C

L+S-HEADER

L+S-SILL

L+S-POCKET


POCKET

POCKET


POCKET

40A


L+S-JAMB LEG




41A




L+S-JAMB LEG



L+S-INTERLOCK STYLE




L+S-MEETING STYLE




LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA







Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA







LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 49







Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 51








Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 53









Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506


LUXBAUM
WINDOWS + DOORS

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 55









Scale: 3" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506


LUXBAUM
WINDOWS + DOORS

1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 57









LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3"=1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
LIFT + SLIDE DOORS

page 59






Scale: NTS

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA




Scale: 3" = 1'-0"


NOTES

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA





Scale: 3" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS


page 62



Lift + Slide Doors



Lift + Slide Door - Pocketed
Available up to Eight Panels
11'-10" x 13'-3"



Lift + Slide Door
Available up to Eight Panels
44'-0" x 13'-3"

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
NOTES

page 63

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506
1501 NORTHPARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



DIRECT GLAZED
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPONT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
DIRECT GLAZED WINDOWS

page 64

#	DESCRIPTION
1	Drywall
2	Framing
3	Shim Shingles Max. 1/4"
4	Casing
5	Jamb Header
6	Jamb Sill
7	Jamb Leg
8	Jamb Extension
9	Pro-R Guard Fast Flash
10	Pro-R Guard Air Dam
11	Glassstop
12	Impact Glass / Insulated Glass
13	Stucco
14	Sash
15	Buck / Framing
16	Buck / Framing
17	Glazing - Dow 995
18	FFI - Operating Hardware
19	Centor® - Track
20	Centor® - Hardware
21	Gasket / Weather Seal
22	Operating Handle
23	Fillet
24	Centor® Bug Screen System
25	Threshold
100	23 Gauge Pin Nail 1"
100a	23 Gauge Pin Nail 1-3/8"
100b	23 Gauge Pin Nail 2"
100	23 Gauge Pin Nail
108	#8 X 1 1/2" Wood Screw SS
112	#14 X 2 1/2" Wood Screw SS
112a	#14 X 4" Wood Screw SS
112b	#14 X 3 1/2" Wood Screw SS
112c	#14 X 3 1/4" Wood Screw SS
112d	#14 X 5 1/2" Wood Screw SS
112e	#14 X 1 1/2" Wood Screw SS Pan Head
116	Tapcon 1/4" x 3 1/4" SS
116a	Tapcon 1/4" x 1-3/4" SS Hex
116b	Tapcon 1/4" x 2" SS
116c	Tapcon 1/4" x 4" SS
116d	Tapcon 1/4" x 3-3/4" SS philips
118	#8 X 1 1/2" Strap Screw SS
212	Strap 1-1/2" x 1-3/4" SS
213	Monarch Z Clip

Scale: 1-1/2"=1'-0"

31-SINGLE WINDOW


DG-HEADER

32-DOUBLE WINDOW


DG-SILL

33-TRIPLE WINDOW


DG-JAMB LEG




34-QUADRUPLE WINDOW




DG-JAMB LEG



36-SEXTUPLE WINDOW



DG-TRANSOM




LUXBAUM WINDOWS + WINDOWS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPONT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
DIRECT GLAZED WINDOWS

page 65






Scale: $1\frac{1}{2}'' = 1'-0''$


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



Exterior






Scale: 3"= 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA






Scale: $3'' = 1'-0''$


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



DIRECT GLAZED
WINDOWS



Direct Glazed
Available up to ∞ Panels
| 1'-6" x 6'-8"



Direct Glazed Window
Available up to ∞ Panels
11'-6" x 6'-8"

Scale: 1/4" = 1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG



NOTES

page 69

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



MAXIMUM DIMENSIONS
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com

LUXBAUM WINDOWS + DOORS


T: 1.561.684.1500 F: 1.561.689.1506


1501 NORTHPONT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS

page 70

Scale: 1/4" = 1'-0"





LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG

MAXIMUM DIMENSIONS

page 71


Scale: 1/4" = 1'-0"





Double Hung Window

Double- or Single-Hung Window with Transom
5'-2" x 14'-0"



Triple Double- or Single-Hung Window with Transom
15'-7" x 14'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


MAXIMUM DIMENSIONS

page 72


Scale: 1/4" = 1'-0"




Fixed Casement Window




Single Fixed Casement Widest
4'-2" x 8'-2"




Double Fixed Casement Widest
7'-2" x 6'-8"



Single Fixed Casement Wide
3'-8" x 10'-2"



Double Fixed Casement Wide
7'-3" x 10'-3"



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS

page 73


Scale: 1/4" = 1'-0"




French Doors




Single French Doors Wide
3'-8" x 10'-2"




Double French Doors Wide
7'-3" x 10'-3"




Single French Doors Tallest
3'-3" x 12'-2"




Double French Doors Tallest
6'-2" x 12'-2"



French Doors



Single French Doors with Transom
3'-3" x 18'-4"



Double French Doors with Transom
6'-2" x 18'-4"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
MAXIMUM DIMENSIONS

page 74

Scale: 1/4" = 1'-0"




Folding Doors




Outside of Miami-Dade
Unlimited Number of Panels
 $\times 10'-2"$

Six-Panel Folding Door
18'-5" x 10'-2"

Miami-Dade Maximum
Nine Panels x 10'-2"



Folding Doors



Outside of Miami-Dade
Unlimited Number of Panels
 $\times 10'-2"$

Folding Doors
Disappearing Corner

Miami-Dade Maximum
Nine + Nine Panels
 $\times 10'-2"$

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



LUXBAUM
WINDOWS + DOORS


1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


MAXIMUM DIMENSIONS

page 75


Scale: 1/4" = 1'-0"



Lift + Slide Doors



Lift + Slide Door - Pocketed
Available up to Eight Panels
11'-10" x 13'-3"



Lift + Slide Door
Available up to Eight Panels
44'-0" x 13'-3"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG


MAXIMUM DIMENSIONS

page 76


Scale: 1/4" = 1'-0"



DIRECT GLAZED
WINDOWS



Direct Glazed
Available up to ∞ Panels
11'-6" x 6'-8"




Direct Glazed Window
Available up to ∞ Panels
11'-6" x 6'-8"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



FRENCH
DOOR

FOLDING
DOOR

LIFT + SLIDE
DOOR

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



SIGHTLINES CORRELATION
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com


LUXBAUM WINDOWS + DOORS

T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA


Double Hung Window

(Bottom Rail 7288) (Top Rail 7288)



Casement Window + French Door


(Top Rail 7297)



(Bottom Rail 72193)

Folding Door


(Top Rail 7297)



(Bottom Rail 72193)

Lift + Slide Door

(Top Rail 68139)



(Bottom Rail 68161)

Scale: 1 1/2" = 1'-0"




LUXBAUM
WINDOWS + DOORS

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

Casement Window


(Top Rail 7297)



(Bottom Rail 7297)

Double Hung Window


(Top Rail 7288)



(Bottom Rail 7288)


French Door

(Top Rail 7297)



Folding Door

(Top Rail 7297)



Scale: 1 1/2" = 1'-0"




LUXBAUM
WINDOWS + DOORS

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

(Bottom Rail 72193)




(Top Rail 7297) (Top Rail 7297)

French Door Folding Doors

Lift + Slide Door

(Top 68139)



Scale: 1 1/2" = 1'-0"


LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA


ARCHITECTS' CATALOG
SIGHTLINE CORRELATION

page 80






French Door



Folding Door



Lift + Slide Door

Scale: 3"=1'-0"

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
NOTES

page 81

LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA



LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F:1.561.689.1506
1501 NORTHPONT PARKWAY, SUITE 101
WEST PALM BEACH, FL 33407 USA



CUSTOM ELEVATIONS
ARCHITECTS' CATALOG

Laszlo Wagner

CEO & Founder

laszlo.wagner@luxbaum.com

Putu Udayana

General Manager

Mogo Yusina Kadena

Assistant Manager

Ketut Rai Sami

Production Estimator

Judy Luca

Controller

judy.luca@luxbaum.com

Judy Wilber

Executive Assistant - Project Manager

judy.wilber@luxbaum.com

Andrea Mendoza

CAD Manager - Shop Drawings

andrea.mendoza@luxbaum.com

David Vander Wiele

Senior Installation Manager

dave.vanderwiele@luxbaum.com

Peter Stalder

Installation Manager

peter.stalder@luxbaum.com

www.luxbaum.com


LUXBAUM WINDOWS + DOORS




T: 1.561.684.1500 F: 1.561.689.1506

1501 NORTHPOINT PARKWAY, SUITE 101, WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CUSTOM ELEVATIONS

page 82










LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CUSTOM ELEVATIONS

page 83









LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506




1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CUSTOM ELEVATIONS

page 84













LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506











1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CUSTOM ELEVATIONS

page 85













LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506






1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

ARCHITECTS' CATALOG
CUSTOM ELEVATIONS

page 86





LUXBAUM WINDOWS + DOORS
T: 1.561.684.1500 F: 1.561.689.1506



1501 NORTHPOINT PARKWAY , SUITE 101
WEST PALM BEACH, FL 33407 USA

Let us build yours today.

Luxabum's carpenters and assistants under the management of Pak Putu Udayana,
General Manager and Ibu Yusina Kadena, Assistant Manager.



LÜXBAUM
WINDOWS + DOORS

1.561.684.1500 | F: 1.561.689.1506
1501 Northpoint Parkway, Ste 101, West Palm Beach, FL 33407, USA
www.luxbaum.com | info@luxbaum.com